



Air Blown Fibre (ABF) Installation Kit



STINGRAY

HEXATRONIC

Air Blown Fibre (ABF) Installation Kit



Original, Market Leading Hexatronic FTTH Blowing Kit

INCLUDES

- Hexatronic Air Blown Fibre (ABF) Tool
- Consumables
- Duct Clamp
- Compressor (110V, 240V, Petrol versions available)
- Tripod
- Hose

HEXATRONIC AIR BLOWN FIBRE (ABF) TOOL

The original, best and most competitive blowing tool kit on the market has been upgraded!

Each tool now includes an isolated front mounted duct clamp for easy fibre loading, trigger lock and enhanced robust polymers.

FEATURES


- Class leading installation performance in combination with Hexatronic Air Blown Fibre
- Installation speed of up to 150 m/min
- Portable and lightweight
- Easy to use and virtually calibration free design
- Low noise
- Speed locking
- Easy push-pull on reel arm
- Latest technology on display OLED
- For all Hexatronic Air Blown Fibre 1-12 fibres
- For Microduct dimensions 3, 5 and 7 mm.
- With additional duct clamp

The blowing tool is designed to be used with Hexatronic Air Blown Fibre (Stingray) only. Fibre units with 1-12 fibres can be installed. Nozzles to support 3/2mm, 5/3.5mm and 7/3.5mm Microducts are included.



CONSUMABLES

- Blowing tool
- Battery charger
- Two Li-Ion batteries
- Set of air filter and valve
- Small toolbox with tools and common replacement parts
- Fibre guide sets for up to ≤ 1.3 mm and ≤ 1.6 mm fibre units
- Nozzles supporting 3 mm, 5 mm and 7 mm microducts
- Microduct cutter
- User guide
- Carrying case




COMPRESSOR (110V, 240V, PETROL)

Hexatronic Air Blown Fibre Installation Kit also comes with a compact 10 Bar Compressor.

(available as 230v, 110v or petrol driven).

FEATURES (ELECTRIC & PETROL)

- V - Configuration oil-less compressor pump
- Oil free air production
- Tankless design
- Cast aluminium construction
- Unique connecting rod system for perfect balance
- Heat-treated components for longer life
- Stainless steel valves
- Air cooling radiator with pressure stabilising valve
- Condensate filter
- Auto discharge idling valve
- Heavy-duty flexible reinforced delivery pipe
- Full wrap around frame for protection and portability
- Supplied with 'Instantair' coupler
- Weight: 24kgs
- Engine (Petrol): 3 HP / 3000 rpm SUBARU Petrol



TRIPOD

A stable aluminum tripod with an innovative ball head. Thanks to its ergonomic design, the Manfrotto Befree Advanced is an intuitive and fast tripod that allows you to prepare your equipment quickly and easily. The Befree is a new and innovative tripod designed for travel. The tripod is very compact, lightweight and easy to use. The Befree is the ideal travel companion. The big advantage is its dimensions, the height of the tripod when folded is only 40 cm. Included is a lightweight cover with a shoulder strap.

FEATURES

- Maximum load tripod: 8 kg
- Maximum load of tripod head: 8 kg
- Maximum height: 127 cm
- Minimum height: 40 cm
- Weight: 1490 grams



DUCT CLAMP

The duct clamp is an accessory to the ABF Installation Tool. Enabling a secure and snug fit, it ensures a positive and strong fitting suitable for high pressure distance blowing.

The duct holder also facilitates the installation by attaching to the blowing tool even when the main body is in an open position. An advantageous addition when blowing fibres that are pre-terminated with a connector ferrule.

This innovation is a huge benefit for any installer wishing to deploy 'Pre-terminated ferrules' or performing a 'Mid-Blow'



PART NUMBER	DESCRIPTION
FOTA-ABF-KIT-110V	ABF BLOWING TOOL KIT, TOOL, 10B COMP 110V, TRIPOD, HOSE, SPARES
FOTA-ABF-KIT-240V	ABF BLOWING TOOL KIT, TOOL, 10B COMP 240V, TRIPOD, HOSE, SPARES
FOTA-ABF-KIT-PET	ABF BLOWING TOOL KIT, TOOL, 10B COMP PETROL, TRIPOD, HOSE, SPARES
FOTA-ABF-LTT1792040/7	ABF BLOWING TOOL - INCLUDING DUCT CLAMP - BLUE - 1-12F
FOTA-LM7010	FIBRE OPTIC BLOWING COMPRESSOR (PETROL), 270LPM
FOTA-LM7010E	FIBRE OPTIC BLOWING COMPRESSOR (110V ELECTRIC), 270LPM
FOTA-LM7010-240V	FIBRE OPTIC BLOWING COMPRESSOR (240V ELECTRIC), 270LPM
FOTA-1538436	ABF INSTALL TOOL, MANFROTTO BEFREE ADVANCED TWIST TRIPOD - RED
FOTX-HOSE-10M-CEJN-M-F	10M HOSE - 16 BAR - CEJN 320 (M) - CEJN 320 (F)
FOTX-HSXA136131-3	DUCT CLAMP FOR 7MM MICRODUCTS

We offer advice and technical support

Hexatronic are always ready to answer your questions regarding ordering, installation or technical support. Contact us at info@hexatronic.co.uk, or visit www.hexatronic.co.uk for general enquiries.

Contact servicing@hexatronic.co.uk for servicing enquiries.

Supporting Products Available



STINGRAY PANS



MICRODUCT CUTTER – PLIERS



ABF PRE-TERMINATED SWIFT ASSEMBLY



MICRODUCT ASSEMBLY CUTTER



DUCT INTEGRITY KIT



MICRODUCT CUTTER – SMALL



1SHOT



BLOWING BEADS



ABF STRIP TOOL



CLEANING SPONGES



DUCT SHAPER



COUPLERS

View our website to see more!



Hexatronic UK, Unit B, Quay West, Gosport, PO12 4LJ, United Kingdom

Tel +44 (0) 2392 580 555 info@hexatronic.co.uk www.hexatronic.co.uk

