



Fiber Measurement assemblies

MM

Ruggedized patch cords designed for OTDR network testing

Features

- 3mm Ruggedized cables
- Choice of connections
- Crush resistant
- Return to base – re-termination service.

Application

Testing full network links

Product Information

Each connector is equipped with a dust cover and the cables are packed in a sealed plastic bag. The label indicates the contact values of all contacts for dimming (IL) and reflection (RL).

Technical Information

Kuidun tyyppi	OM1;OM2;OM3;OM4
Liitosvaimennus, max [dB]	≤0,1

Articles 38

Article name	Kuitujen lkm	Asettelu	Halkaisija Ø [mm]
Launch cable 1x62,5/125 OM1 FC/PC-FC/PC 2m 5M5502	1	FC-FC	3
Launch cable 1x62,5/125 OM1 SC/PC-FC/PC 2m 5M4502	1	SC-FC	3
Launch cable 1x62,5/125 OM1 SC/PC-LC/APC 2m 5M4N02	1	SC-LCA	3
Launch cable 1x62,5/125 OM1 SC/PC-LC/PC 1m 5M4L01	1	SC-LC	3
Launch cable 1x62,5/125 OM1 SC/PC-LC/PC 2m 5M4L02	1	SC-LC	3
Launch cable 1x62,5/125 OM1 SC/PC-LC/PC 30m 5M4L30	1	SC-LC	3
Launch cable 1x62,5/125 OM1 SC/PC-SC/PC 1m 5M4401	1	SC-SC	3
Launch cable 1x62,5/125 OM1 SC/PC-SC/PC 2m 5M4402	1	SC-SC	3
Launch cable 1x62,5/125 OM1 SC/PC-SC/PC 30m 5M4430	1	SC-SC	3
Launch cable 1x62,5/125 OM1 ST/PC-FC/PC 2m 5M2502	1	ST-FC	3
Launch cable 1x62,5/125 OM1 ST/PC-LC/PC 10m 5M2L10	1	ST-LC	3
Launch cable 1x62,5/125 OM1 ST/PC-LC/PC 1m 5M2L01	1	ST-LC	3
Launch cable 1x62,5/125 OM1 ST/PC-LC/PC 2m 5M2L02	1	ST-LC	3

Article name	Kuitujen lkm	Asennelu	Halkaisija Ø [mm]
Launch cable 1x62,5/125 OM1 ST/PC-LC/PC 50m 5M2L50	1	ST-LC	3
Launch cable 1x62,5/125 OM1 ST/PC-SC/PC 2m 5M2402	1	ST-SC	3
Launch cable 1x62,5/125 OM1 ST/PC-SC/PC 30m 5M2430	1	ST-SC	3
Launch cable 1x62,5/125 OM1 ST/PC-ST/PC 10m 5M2210	1	ST-ST	3
Launch cable 1x62,5/125 OM1 ST/PC-ST/PC 2m 5M2202	1	ST-ST	3
Launch cable 1x62,5/125 OM1 ST/PC-ST/PC 30m 5M2230	1	ST-ST	3
Launch cable 1x62,5/125 OM1 ST/PC-ST/PC 50m 5M2250	1	ST-ST	3
Launch cable 2x62,5/125 OM1 SC/PC-SC/PC 2m 5M4402-D	2	SC-SC	3
Mätkablage MM 2x62,5/125 OM1 ST/PC-ST/PC 10m 5M2210-D	2	ST-ST	–
Mätkablage MM 2x62,5/125 OM1 ST/PC-LC/PC 10m 5M2L10-D	1	ST-LC	–
Launch cable 1x50/125 OM2 SC/PC-FC/PC 2m 6M4502	1	SC-FC	3
Launch cable 1x50/125 OM2 SC/PC-SC/PC 20m 6M4420	1	SC-SC	3
Launch cable 1x50/125 OM2 ST/PC-SC/PC 2m 6M2402	1	ST-SC	3
Launch cable 1x50/125 OM2 FC/PC-LC/PC 2m 6M5L02	1	FC-LC	3
Launch cable 1x50/125 OM2 SC/PC-LC/PC 2m 6M4L02	1	SC-LC	3
Launch cable 1x50/125 OM2 SC/PC-SC/PC 2m 6M4402	1	SC-SC	3
Launch cable 1x50/125 OM2 SC/PC-SC/PC 30m 6M4430	1	SC-SC	3
Launch cable 1x50/125 OM2 SMA-SC/PC 2m 6M1402	1	SMA-SC	3
Launch cable 1x50/125 OM2 ST/PC-LC/PC 10m 6M2L10	1	ST-LC	3
Launch cable 1x50/125 OM2 ST/PC-LC/PC 2m 6M2L02	1	ST-LC	3
Launch cable 1x50/125 OM2 ST/PC-ST/PC 10m 6M2210	1	ST-ST	3
Launch cable 1x50/125 OM2 ST/PC-ST/PC 2m 6M2202	1	ST-ST	3
Launch cable 1x50/125 OM4 SC/PC-LC/PC 2m DM4L02	1	SC-LC	3
Launch cable 1x50/125 OM4 SC/PC-SC/PC 2m DM4402	1	SC-SC	3
Launch cable 2x50/125 OM4 SC/PC-SC/PC 2m DM4402-D	2	SC-SC	3