



Customer Termination Box 2 (CTB2)

Compact Connection Box for Splice Only, Splice and Patch, or splitter modules.

Features

- Robust / Impact Resistant
- Cost-Effective
- UV Stable
- Multifunctional
- V0 Fire-rated (grey option for I/O)

Application

- Future proof FTTP deployments
- Decentralized split
- FTTA
- MDU
- Demarcation point

Design

The CTB2 is a universal enclosure that has been developed for housing fibre connectivity. The versatile design gives the CTB2 the ability to accommodate a number of connectivity solutions, Splice only, Splice and patch and even splitter modules.

The Box is a High-Quality ABS housing that can be supplied in a variety of colours. Internally, the Box can come equipped with either a plastic or metal module to accommodate fibre storage cable management.

For splice only applications, the CTB2 is supplied with an internal splice cassette with 48F splice capacity and midspan storage space behind the cassette. Pre-tailed versions are also available with fanout cables pre-installed.

The CTB2 can be used in conjunction with the wall/pole mount bracket which provides additional cable anchoring points and cable storage for overlength behind the box.

Technical Information

Product Color

Black, Brown or Grey

Technical Details



Articles 4

Article name	Color	Dimensions [mm]
Customer Termination Box v2 - Black FCLC-CTB2-ULD-001-BK	Black	42mmD × 150mmW × 270mmH
Customer Termination Box v2 - Grey FCLC-CTB2-ULD-001-GY	Grey	42mmD × 150mmW × 270mmH
Customer Termination Box v2 - Brown FCLC-CTB2-ULD-001-BN	Brown	42mmD × 150mmW × 270mmH
CTB2 Mounting Bracket FCLC-C2-CBKT-BK	Black	-