

# Subscriber Wallbox

**Discreet customer wall outlet**

---

## Features

- Compact
- Multiple Services
- Up to 8 connections (LC/APC)
- Suitable for duct or cable
- 100x100x27mm
- Cable entry from rear or bottom or Top
- Suitable for Inline Extraction cable
- Flip tray for easy access
- Fibre management secures minimum bend radius

## Application

Internal customer wall plate for the final connection point inside a customers premises.

Under desk connection point for fiber to the desk applications in office settings.

## Design

Designed to provide a compact, discreet location for multiple services to present inside a customer premises.

A compact residential outlet for up to 4 fibres terminated with SC connectors (8x LC). Hinged optical splice tray can house up to 8 splices in either Heat shrink or Crimp Splices.

A screw fixing allows the installer to prevent any accidental access to the splice area.

## Product Information

**Dimensions (mm):** 100x100x27

**Weight:** 80g

**Ports:** 2 cable, 4 patch

**Cable Diameter:** 10mm

**Splice Capacity:** 8


**Patch Capacity:** 8 (LC)

## Technical Information

**Product Color**

White

## Technical Details



## Articles 6

| Article name  | Color | Dimensions [mm] |
|---|-------|-----------------|
| <b>Subscriber Wallbox - Unloaded - 4x Simplex SC Ports - 8 Splice</b><br>FCLC-DIS-ICB-P00-UNL | White | 100 × 100 × 27  |
| <b>Subscriber Wallbox - 1x LC/APC incl G657A1 Pigtail</b><br>FCLC-DIS-ICB-P01-ALCA1           | White | 100 × 100 × 27  |
| <b>Subscriber Wallbox - 1x LC/APC incl G657A2 Pigtail</b><br>FCLC-DIS-ICB-P01-ALCA2           | White | 100 × 100 × 27  |
| <b>Subscriber Wallbox - 1x LC/APC incl G657B3 Pigtail</b><br>FCLC-DIS-ICB-P01-ALCB3           | White | 100 × 100 × 27  |
| <b>Subscriber Wallbox - 1x LC/APC Adaptor</b><br>FCLC-DIS-ICB-P01-ALC-UNL                     | White | 100 × 100 × 27  |
| <b>Subscriber Wallbox - 1x SC/APC incl G657A2 Pigtail</b><br>FCLC-DIS-ICB-P01-ASCA2           | White | 100 × 100 × 27  |