



Microduct Tube Distribution Closure

Black distribution closure kit IP67, 6 or 7 way

Features

- Can be re-entered
- IP67 rated
- Lightweight
- One piece grommet and seal arrangement
- Can be retro-fitted to existing tube bundles/sub ducts
- Captivated screws in lid portion allowing inverted installation

Application

Hexatronic Microduct Tube Distribution Closure can be Direct Buried into a waiting trench or placed inside a manhole or handhole.

Technical Information

Product Color	Black
IP Rating	IP67
Technical Notes	<p>Materials</p> <p>Shell: ABS</p> <p>Spacers: Nylon</p> <p>Seal: TPE</p> <p>Port Supports: Polypropylene</p> <p>Clamp Plates: Nylon</p> <p>All metallic parts: Stainless Steel. Except for nickel plated brass threaded inserts</p>

Ordering Information

Each Kit shall comprise of the following components:

- Lower Shell (1pc)
- Upper Shell (1pc)
- Seal (1pc)
- Captive screws (14pcs)
- Threaded inserts (14pcs)
- Clamping plates (6pcs)
- Spacers – 8mm (4pcs)
- Spacers – 15mm (4pcs)
- Self-tapping Pozi-driv countersunk screws - 13mm (4pcs)
- Self-tapping Pozi-driv countersunk screws - 19mm (4pcs)
- Self-tapping Pozi-driv countersunk screws - 25mm (4pcs)
- Cable ties 3.5mm x 150mm (4pcs)
- Port supports (4pcs)
- Max. 40mm for duct
- 19-44mmHoseClip(2pcs)

Technical Details



Articles

Article name	Color	Dimensions [mm]	Weight [kg]
Microduct Tube Distribution Closure FDCX-MDTDC-6X40-BK	Shells to be Black	Length: 316mm, Width: 220mm, Height: 70mm	1.232
Microduct Tube Distribution Closure FDCX-MDTDC-7X40-BK	Shells to be Black	Length: 316mm, Width: 220mm, Height: 70mm	1.232