

1Shot – Duct Integrity Tester

Original, Market Leading Hexatronic Duct Testing Kit

Features

- Suitable for 8mm duct
- Single Operator Testing
- Calibration & Pressure Test Combined
- No Remote End Cap Replacement
- Can be PERMANENT
- Pack of 50

Design

How it works

The receivers are applied to the subscriber end of the Microduct (Toby Box). Simple Push-fit Process the same as a standard Coupler.

These vented Receivers are free to air to allow for Compressed air to be applied.

Darts are blown in from the origin (Street Cabinet) their uninterrupted deployment proves a continual 2.6mm ID through the duct. NO significant Crushes or kinks.

Once received, the Dart plugs the end of the catcher, this creates an air block and pressure will increase. This pressure should be maintained for 2mins.

If no drop is seen all couplers are well seated and not leaking. Any drops in pressure indicate a faulty duct or faulty connector.

Suitable for 8mm duct

Product Information

The 'One Shot' Duct testing Kit offers 50x 1Shot Receivers that make it possible to test a 48 Fibre Distribution cabinet from a single location with a single operator.

Technical Details

TOLERANCE	
L>50	+/-1
L<=50	+/-1%
L<=5	+/- 0.05
LENGTH (M)	A(M)

Articles 1

Article name

1Shot - Duct Integrity Tester - Pack of 50 FOTT-AIR-X-1SHOT-08-50