



# Swift Ferrule Assembly Tool

## Ferrule Crown Installation Tool and Cable Stripper

---

### Features

- Compact/smart design
- Safely and quickly installs ferrule crown
- Useable on all three diameters of Stingray
- 1mm to 1.6mm, 2 to 24f Stingray
- Ensures clean, smooth strips with every use.
- Made from recycled post-industrial polycarbonate.

## Application

Designed for safely installing the crown onto the air blown fibre ferrule and for stripping Hexatronic's air blown fibre (Stingray). Three diameters are available with the tool ranging from 2-6f, 8-12f, and 24f.

## Design

All stripping surfaces are quality manufactured to precise tolerances to ensure clean, smooth strips every use.

Made from recycled post-industrial polycarbonate ergonomically designed to fit comfortably in either hand, reducing the risk of injury from repetitive stripping function.

## Product Information

### Installation Notes

This tool is specially designed for the Hexatronic Stingray air blown fibers only. Do not use for other types of air blown fibers. The three grooves have different depths. Ensure to use the correct groove for your specific type of Stingray fiber. Do not twist the tool when pressing together. See instructions before use.

## Technical Information

### Product Color

Grey

## Articles 1

Article name	Color
Swift Ferrule Assembly Tool FOTT-STINGRAY-TOOL	Grey