



# Patch Cords G657A2

Yellow, blue or White

---

## Features

- G657A2 bend-resistant fiber for safe installations
- Compatible with G652D networks
- Halogen-free flame-retardant material (HFFR)
- Lowest insertion loss
- Various connector options

## Application

The HTSR 395+ series is designed to meet the standards mainly used in access and transport termination points. Ultra Polished Connectors (UPC) and Angled Polished Connectors (APC) ensures low insertion loss and minimal back reflection.

## Design

The HTSR 395+ series has an extended operating temperature range,  $-30^{\circ}\text{C}$  to  $+70^{\circ}\text{C}$ . This makes them very stable over time in various environmental conditions.

The small bending radius of only 10 mm due to the G657A2 fiber, minimizes losses when installed or handled during installation.

The patch cords are designed with  $\varnothing 0.9$  mm buffered secondary coating and have a strength member of aramid yarn. Outer jacket is made of halogen-free flame-retardant (HFFR) material giving excellent protection.

## Product Information

Patch cord diameter: 2 mm

## Technical Information

<b>Temperature, Operation [<math>^{\circ}\text{F}</math>]</b>	-30 to +70
<b>Temperature, Storage [<math>^{\circ}\text{F}</math>]</b>	-40 to +70
<b>Temperature, Installation [<math>^{\circ}\text{F}</math>]</b>	-20 to +50
<b>Fiber Type</b>	G657A2
<b>Insertion Loss, max [dB]</b>	$\leq 0,3$
<b>Return Loss, min [dB]</b>	UPC $\geq 50$ , APC $\geq 60$

## Conformance

IEC 61754 series: Fiber connector interfaces

IEC 61755 series: Fiber optic connector optical interfaces

IEC 61753 series: Fiber optical interconnecting devices and passive components performance standard

IEC 61300 series: Fiber optic interconnecting devices and passive components – basic test and measurement

IEC 60794-2-50: Indoor optical fiber cables for simplex and duplex cables for use in patch cords

ITU G657A2: Characteristics of SM optical fiber

IEC 60332-3-24: Test - flame propagation of Ø 2 mm patch cables installed vertically in shafts

UL1666

UL94 V-0: Flame resistance on connectors

## Technical Notes

Insertion loss measured according to IEC61300-3-4

Return loss measured according to IEC61300-3-6

## Articles 210

Article name	Color	No. of Fibers	Layout	Diameter Ø [mm]	Dimensions [in]	Weight [lbs/ft]	Weight [lbs]	Length [ft]
Patchcable 1xG657A LC/UPC-LC/UPC HTSR3952012/500	Blue	1	LC-LC	2	–	0.012	0.012	0.5
Patchcable 1xG657A LC/UPC-LC/UPC HTSR3952012/1000	Blue	1	–	2	–	0.014	0.014	1
Patchcable 1xG657A LC/UPC-LC/UPC HTSR3952012/2000	Blue	1	LC-LC	2	–	0.018	0.018	2
Patchcable 1xG657A LC/UPC-LC/UPC HTSR3952012/3000	Blue	1	LC-LC	2	–	0.022	0.022	3
Patchcable 1xG657A LC/UPC-LC/UPC HTSR3952012/5000	Blue	1	LC-LC	2	–	0.03	0.03	5
Patchcable 1xG657A LC/UPC-LC/UPC HTSR3952012/7000	Blue	1	LC-LC	2	–	0.038	0.038	7
Patchcable 1xG657A LC/UPC-LC/UPC HTSR3952012/10M	Blue	1	LC-LC	2	–	0.05	0.05	10
Patchcable 1xG657A LC/UPC-LC/UPC HTSR3952012/15M	Blue	1	LC-LC	2	–	0.07	0.07	15
Patchcable 1xG657A SC/UPC-LC/UPC HTSR3952015/500	Blue	1	SC-LC	2	–	0.012	0.012	0.5
Patchcable 1xG657A SC/UPC-LC/UPC HTSR3952015/1000	Blue	1	SC-LC	2	–	0.014	0.014	1
Patchcable 1xG657A SC/UPC-LC/UPC HTSR3952015/2000	Blue	1	SC-LC	2	–	0.018	0.018	2

Article name	Color	No. of Fibers	Layout	Diameter Ø [mm]		Dimensions [in]		Weight [lbs/ft]	Weight [lbs]	Length [ft]
Patchcable 1xG657A SC/UPC-LC/UPC HTSR3952015/3000	Blue	1	SC-LC	2	–	0.022	0.022	3		
Patchcable 1xG657A SC/UPC-LC/UPC HTSR3952015/5000	Blue	1	SC-LC	2	–	0.03	0.03	5		
Patchcable 1xG657A SC/UPC-LC/UPC HTSR3952015/7000	Blue	1	SC-LC	2	–	0.038	0.038	7		
Patchcable 1xG657A SC/UPC-LC/UPC HTSR3952015/8000	Blue	1	SC-LC	2	–	0.039	0.039	8		
Patchcable 1xG657A SC/UPC-LC/UPC HTSR3952015/10M	Blue	1	SC-LC	2	–	0.05	0.05	10		
Patchcable 1xG657A SC/UPC-LC/UPC HTSR3952015/15M	Blue	1	SC-LC	2	–	0.07	0.07	15		
Patchcable 1xG657A SC/UPC-SC/UPC HTSR3952024/500	Blue	1	SC-SC	2	–	0.012	0.012	0.5		
Patchcable 1xG657A SC/UPC-SC/UPC HTSR3952024/1000	Blue	1	SC-SC	2	–	0.014	0.014	1		
Patchcable 1xG657A SC/UPC-SC/UPC HTSR3952024/1500	Blue	1	SC-SC	2	–	0.016	0.016	1.5		
Patchcable 1xG657A SC/UPC-SC/UPC HTSR3952024/2000	Blue	1	SC-SC	2	–	0.018	0.018	2		
Patchcable 1xG657A SC/UPC-SC/UPC HTSR3952024/3000	Blue	1	SC-SC	2	–	0.022	0.022	3		
Patchcable 1xG657A SC/UPC-SC/UPC HTSR3952024/5000	Blue	1	–	2	–	0.03	0.03	5		
Patchcable 1xG657A SC/UPC-SC/UPC HTSR3952024/7000	Blue	1	SC-SC	2	–	0.038	0.038	7		
Patchcable 1xG657A SC/UPC-SC/UPC HTSR3952024/10M	Blue	1	SC-SC	2	–	0.05	0.05	10		
Patchcable 1xG657A SC/UPC-SC/UPC HTSR3952024/15M	Blue	1	SC-SC	2	–	0.07	0.07	15		
Patchcable 1xG657A SC/APC-SC/APC HTSR3952027/500	Blue	1	SCA-SCA	2	–	0.012	0.012	0.5		
Patchcable 1xG657A SC/APC-SC/APC HTSR3952027/1000	Blue	1	SCA-SCA	2	–	0.014	0.014	1		
Patchcable 1xG657A SC/APC-SC/APC HTSR3952027/2000	Blue	1	SCA-SCA	2	–	0.018	0.018	2		
Patchcable 1xG657A SC/APC-SC/APC HTSR3952027/3000	Blue	1	SCA-SCA	2	–	0.022	0.022	3		
Patchcable 1xG657A SC/APC-SC/APC HTSR3952027/5000	Blue	1	SCA-SCA	2	–	0.03	0.03	5		
Patchcable 1xG657A SC/APC-SC/APC HTSR3952027/7000	Blue	1	SCA-SCA	2	–	0.038	0.038	7		
Patchcable 1xG657A SC/APC-SC/APC HTSR3952027/10M	Blue	1	SCA-SCA	2	–	0.05	0.05	10		
Patchcable 1xG657A SC/APC-SC/APC HTSR3952027/15M	Blue	1	SCA-SCA	2	–	0.07	0.07	15		
Patchcable 1xG657A SC/APC-SC/APC HTSR3952027/20M	Blue	1	SCA-SCA	2	–	0.09	0.09	20		

Article name	Color	No. of Fibers	Layout	Diameter Ø [mm]		Dimensions [in]		Weight [lbs/ft]	Weight [lbs]	Length [ft]
Patchcable 1xG657A SC/UPC-SC/APC HTSR3952037/500	Blue	1	SC-SCA	2	–	0.012	0.012	0.5		
Patchcable 1xG657A SC/UPC-SC/APC HTSR3952037/1000	Blue	1	SC-SCA	2	–	0.014	0.014	1		
Patchcable 1xG657A SC/UPC-SC/APC HTSR3952037/2000	Blue	1	SC-SCA	2	–	0.018	0.018	2		
Patchcable 1xG657A SC/UPC-SC/APC HTSR3952037/3000	Blue	1	SC-SCA	2	–	0.022	0.022	3		
Patchcable 1xG657A SC/UPC-SC/APC HTSR3952037/5000	Blue	1	SC-SCA	2	–	0.03	0.03	5		
Patchcable 1xG657A SC/UPC-SC/APC HTSR3952037/7000	Blue	1	SC-SCA	2	–	0.038	0.038	7		
Patchcable 1xG657A SC/UPC-SC/APC HTSR3952037/10M	Blue	1	SC-SCA	2	–	0.05	0.05	10		
Patchcable 1xG657A SC/UPC-SC/APC HTSR3952037/15M	Blue	1	SC-SCA	2	–	0.07	0.07	15		
Patchcable 1xG657A SC/APC-LC/UPC HTSR3952040/500	Blue	1	SCA-LC	2	–	0.012	0.012	0.5		
Patchcable 1xG657A SC/APC-LC/UPC HTSR3952040/1000	Blue	1	SCA-LC	2	–	0.014	0.014	1		
Patchcable 1xG657A SC/APC-LC/UPC HTSR3952040/2000	Blue	1	SCA-LC	2	–	0.018	0.018	2		
Patchcable 1xG657A SC/APC-LC/UPC HTSR3952040/3000	Blue	1	SCA-LC	2	–	0.022	0.022	3		
Patchcable 1xG657A SC/APC-LC/UPC HTSR3952040/5000	Blue	1	SCA-LC	2	–	0.03	0.03	5		
Patchcable 1xG657A SC/APC-LC/UPC HTSR3952040/7000	Blue	1	SCA-LC	2	–	0.038	0.038	7		
Patchcable 1xG657A SC/APC-LC/UPC HTSR3952040/10M	Blue	1	SCA-LC	2	–	0.05	0.05	10		
Patchcable 1xG657A SC/APC-LC/UPC HTSR3952040/15M	Blue	1	SCA-LC	2	–	0.07	0.07	15		
Patchcable 2xG657A LC/UPC-LC/UPC HTSR3953012/500	Blue	2	LC-LC	2	2 × 2	0.024	0.024	0.5		
Patchcable 2xG657A LC/UPC-LC/UPC HTSR3953012/1000	Blue	2	LC-LC	2	2 × 2	0.028	0.028	1		
Patchcable 2xG657A LC/UPC-LC/UPC HTSR3953012/2000	Blue	2	LC-LC	2	2 × 2	0.036	0.036	2		
Patchcable 2xG657A LC/UPC-LC/UPC HTSR3953012/3000	Blue	2	LC-LC	2	2 × 2	0.044	0.044	3		
Patchcable 2xG657A LC/UPC-LC/UPC HTSR3953012/5000	Blue	2	LC-LC	2	2 × 2	0.06	0.06	5		
Patchcable 2xG657A LC/UPC-LC/UPC HTSR3953012/7000	Blue	2	LC-LC	2	2 × 2	0.076	0.076	7		
Patchcable 2xG657A LC/UPC-LC/UPC HTSR3953012/10M	Blue	2	LC-LC	2	2 × 2	0.1	0.1	10		
Patchcable 2xG657A LC/UPC-LC/UPC HTSR3953012/15M	Blue	2	LC-LC	2	2 × 2	0.14	0.14	15		

Article name	Color	No. of Fibers	Layout	Diameter Ø [mm]		Dimensions [in]	Weight [lbs/ft]	Weight [lbs]	Length [ft]
Patchcable 2xG657A SC/UPC-LC/UPC HTSR3953015/500	Blue	2	SC-LC	2	2 × 2	0.024	0.024	0.5	
Patchcable 2xG657A SC/UPC-LC/UPC HTSR3953015/1000	Blue	2	SC-LC	2	2 × 2	0.028	0.028	1	
Patchcable 2xG657A SC/UPC-LC/UPC HTSR3953015/2000	Blue	2	SC-LC	2	2 × 2	0.036	0.036	2	
Patchcable 2xG657A SC/UPC-LC/UPC HTSR3953015/3000	Blue	2	SC-LC	2	2 × 2	0.044	0.044	3	
Patchcable 2xG657A SC/UPC-LC/UPC HTSR3953015/5000	Blue	2	SC-LC	2	2 × 2	0.06	0.06	5	
Patchcable 2xG657A SC/UPC-LC/UPC HTSR3953015/7000	Blue	2	SC-LC	2	2 × 2	0.076	0.076	7	
Patchcable 2xG657A SC/UPC-LC/UPC HTSR3953015/10M	Blue	2	SC-LC	2	2 × 2	0.1	0.1	10	
Patchcable 2xG657A SC/UPC-LC/UPC HTSR3953015/12M	Blue	2	SC-LC	2	2 × 2	0.116	0.116	12	
Patchcable 2xG657A SC/UPC-LC/UPC HTSR3953015/15M	Blue	2	SC-LC	2	2 × 2	0.14	0.14	15	
Patchcable 2xG657A SC/UPC-SC/UPC HTSR3953024/500	Blue	2	SC-SC	2	2 × 2	0.024	0.024	0.5	
Patchcable 2xG657A SC/UPC-SC/UPC HTSR3953024/1000	Blue	2	SC-SC	2	2 × 2	0.028	0.028	1	
Patchcable 2xG657A SC/UPC-SC/UPC HTSR3953024/2000	Blue	2	SC-SC	2	2 × 2	0.036	0.036	2	
Patchcable 2xG657A SC/UPC-SC/UPC HTSR3953024/3000	Blue	2	SC-SC	2	2 × 2	0.044	0.044	3	
Patchcable 2xG657A SC/UPC-SC/UPC HTSR3953024/5000	Blue	2	SC-SC	2	2 × 2	0.06	0.06	5	
Patchcable 2xG657A SC/UPC-SC/UPC HTSR3953024/7000	Blue	2	SC-SC	2	2 × 2	0.076	0.076	7	
Patchcable 2xG657A SC/UPC-SC/UPC HTSR3953024/10M	Blue	2	SC-SC	2	2 × 2	0.1	0.1	10	
Patchcable 2xG657A SC/UPC-SC/UPC HTSR3953024/15M	Blue	2	SC-SC	2	2 × 2	0.14	0.14	15	
Patchcable 2xG657A SC/APC-SC/APC HTSR3953027/500	Blue	2	SCA-SCA	2	2 × 2	0.024	0.024	0.5	
Patchcable 2xG657A SC/APC-SC/APC HTSR3953027/1000	Blue	2	SCA-SCA	2	2 × 2	0.028	0.028	1	
Patchcable 2xG657A SC/APC-SC/APC HTSR3953027/2000	Blue	2	SCA-SCA	2	2 × 2	0.036	0.036	2	
Patchcable 2xG657A SC/APC-SC/APC HTSR3953027/3000	Blue	2	SCA-SCA	2	2 × 2	0.044	0.044	3	
Patchcable 2xG657A SC/APC-SC/APC HTSR3953027/5000	Blue	2	SCA-SCA	2	2 × 2	0.06	0.06	5	
Patchcable 2xG657A SC/APC-SC/APC HTSR3953027/7000	Blue	2	SCA-SCA	2	2 × 2	0.076	0.076	7	
Patchcable 2xG657A SC/APC-SC/APC HTSR3953027/10M	Blue	2	SCA-SCA	2	2 × 2	0.1	0.1	10	
Patchcable 2xG657A SC/APC-SC/APC HTSR3953027/15M	Blue	2	SCA-SCA	2	2 × 2	0.14	0.14	15	

Article name	Color	No. of Fibers	Layout	Diameter Ø [mm]	Dimensions [in]	Weight [lbs/ft]	Weight [lbs]	Length [ft]
Patchcable 2xG657A SC/UPC-SC/APC HTSR3953037/500	Blue	2	SC-SCA	2	2 × 2	0.024	0.024	0.5
Patchcable 2xG657A SC/UPC-SC/APC HTSR3953037/1000	Blue	2	SC-SCA	2	2 × 2	0.028	0.028	1
Patchcable 2xG657A SC/UPC-SC/APC HTSR3953037/2000	Blue	2	SC-SCA	2	2 × 2	0.036	0.036	2
Patchcable 2xG657A SC/UPC-SC/APC HTSR3953037/3000	Blue	2	SC-SCA	2	2 × 2	0.044	0.044	3
Patchcable 2xG657A SC/UPC-SC/APC HTSR3953037/5000	Blue	2	SC-SCA	2	2 × 2	0.06	0.06	5
Patchcable 2xG657A SC/UPC-SC/APC HTSR3953037/7000	Blue	2	SC-SCA	2	2 × 2	0.076	0.076	7
Patchcable 2xG657A SC/UPC-SC/APC HTSR3953037/10M	Blue	2	SC-SCA	2	2 × 2	0.1	0.1	10
Patchcable 2xG657A SC/UPC-SC/APC HTSR3953037/15M	Blue	2	SC-SCA	2	2 × 2	0.14	0.14	15
Patchcable 2xG657A LC/UPC-LC/APC HTSR3953038/500	Blue	2	LC-LCA	2	2 × 2	0.024	0.024	0.5
Patchcable 2xG657A LC/UPC-LC/APC HTSR3953038/1000	Blue	2	LC-LCA	2	2 × 2	0.028	0.028	1
Patchcable 2xG657A LC/UPC-LC/APC HTSR3953038/2000	Blue	2	LC-LCA	2	2 × 2	0.036	0.036	2
Patchcable 2xG657A LC/UPC-LC/APC HTSR3953038/5000	Blue	2	LC-LCA	2	2 × 2	0.06	0.06	5
Patchcable 2xG657A LC/UPC-LC/APC HTSR3953038/7000	Blue	2	LC-LCA	2	2 × 2	0.076	0.076	7
Patchcable 2xG657A LC/UPC-LC/APC HTSR3953038/10M	Blue	2	LC-LCA	2	2 × 2	0.1	0.1	10
Patchcable 2xG657A LC/UPC-LC/APC HTSR3953038/15M	Blue	2	LC-LCA	2	2 × 2	0.14	0.14	15
Patchcable 2xG657A SC/APC-LC/UPC HTSR3953040/500	Blue	2	SCA-LC	2	2 × 2	0.024	0.024	0.5
Patchcable 2xG657A SC/APC-LC/UPC HTSR3953040/1000	Blue	2	SCA-LC	2	2 × 2	0.028	0.028	1
Patchcable 2xG657A SC/APC-LC/UPC HTSR3953040/2000	Blue	2	SCA-LC	2	2 × 2	0.036	0.036	2
Patchcable 2xG657A SC/APC-LC/UPC HTSR3953040/3000	Blue	2	SCA-LC	2	2 × 2	0.044	0.044	3
Patchcable 2xG657A SC/APC-LC/UPC HTSR3953040/5000	Blue	2	SCA-LC	2	2 × 2	0.06	0.06	5
Patchcable 2xG657A SC/APC-LC/UPC HTSR3953040/7000	Blue	2	SCA-LC	2	2 × 2	0.076	0.076	7
Patchcable 2xG657A SC/APC-LC/UPC HTSR3953040/10M	Blue	2	SCA-LC	2	2 × 2	0.1	0.1	10
Patchcable 2xG657A SC/APC-LC/UPC HTSR3953040/15M	Blue	2	SCA-LC	2	2 × 2	0.14	0.14	15

Article name	Color	No. of Fibers	Layout	Diameter Ø [mm]		Dimensions [in]		Weight [lbs/ft]	Weight [lbs]	Length [ft]
Patchcable 2xG657A SC/UPC-LC/APC HTSR3953043/500	Blue	2	SC-LCA	2	2 × 2	0.024	0.024	0.024	0.024	0.5
Patchcable 2xG657A SC/UPC-LC/APC HTSR3953043/1000	Blue	2	SC-LCA	2	2 × 2	0.028	0.028	0.028	0.028	1
Patchcable 2xG657A SC/UPC-LC/APC HTSR3953043/2000	Blue	2	SC-LCA	2	2 × 2	0.036	0.036	0.036	0.036	2
Patchcable 2xG657A SC/UPC-LC/APC HTSR3953043/3000	Blue	2	SC-LCA	2	2 × 2	0.044	0.044	0.044	0.044	3
Patchcable 2xG657A SC/UPC-LC/APC HTSR3953043/5000	Blue	2	SC-LCA	2	2 × 2	0.06	0.06	0.06	0.06	5
Patchcable 2xG657A SC/UPC-LC/APC HTSR3953043/7000	Blue	2	SC-LCA	2	2 × 2	0.076	0.076	0.076	0.076	7
Patchcable 2xG657A SC/UPC-LC/APC HTSR3953043/10M	Blue	2	SC-LCA	2	2 × 2	0.1	0.1	0.1	0.1	10
Patchcable 2xG657A SC/UPC-LC/APC HTSR3953043/15M	Blue	2	SC-LCA	2	2 × 2	0.14	0.14	0.14	0.14	15
Patchcable 1xG657A2 FC/UPC-FC/UPC HTSR3950106/3000	Yellow	1	FC-FC	2	–	–	–	–	–	3
Patchcable 1xG657A2 FC/UPC-LC/UPC HTSR3950107/3000	Yellow	1	FC-LC	2	–	–	–	–	–	3
Patchcable 1xG657A2 LC/UPC-LC/UPC HTSR3950112/2000	Yellow	1	LC-LC	2	–	–	–	–	–	2
Patchcable 1xG657A2 LC/UPC-LC/UPC HTSR3950112/20M	Yellow	1	LC-LC	2	–	–	–	–	–	20
Patchcable 1xG657A2 LC/UPC-LC/UPC HTSR3950112/3000	Yellow	1	LC-LC	2	–	–	–	–	–	3
Patchcable 1xG657A2 LC/UPC-SC/UPC HTSR3950115/1000	Yellow	1	LC-SC	2	–	–	–	–	–	1
Patchcable 1xG657A2 LC/UPC-SC/UPC HTSR3950115/10M	Yellow	1	LC-SC	2	–	–	–	–	–	10
Patchcable 1xG657A2 LC/UPC-SC/UPC HTSR3950115/15M	Yellow	1	LC-SC	2	–	–	–	–	–	15
Patchcable 1xG657A2 LC/UPC-SC/UPC HTSR3950115/2000	Yellow	1	LC-SC	2	–	–	–	–	–	2
Patchcable 1xG657A2 LC/UPC-SC/UPC HTSR3950115/20M	Yellow	1	LC-SC	2	–	–	–	–	–	20
Patchcable 1xG657A2 LC/UPC-SC/UPC HTSR3950115/3000	Yellow	1	LC-SC	2	–	–	–	–	–	3
Patchcable 1xG657A2 LC/UPC-SC/UPC HTSR3950115/5000	Yellow	1	LC-SC	2	–	–	–	–	–	5
Patchcable 1xG657A2 LC/UPC-SC/UPC HTSR3950115/7000	Yellow	1	LC-SC	2	–	–	–	–	–	7
Patchcable 1xG657A2 SC/UPC-SC/UPC HTSR3950124/2000	Yellow	1	SC-SC	2	–	–	–	–	–	2
Patchcable 1xG657A2 SC/UPC-SC/UPC HTSR3950124/5000	Yellow	1	SC-SC	2	–	–	–	–	–	5
Patchcable 1xG657A2 SC/APC-SC/APC HTSR3950127/1000	Yellow	1	SCA-SCA	2	–	–	–	–	–	1



Article name	Color	No. of Fibers	Layout	Diameter Ø [mm]			Dimensions [in]	Weight [lbs/ft]	Weight [lbs]	Length [ft]
Patchcable 1xG657A2 SC/APC-SC/APC HTSR3950127/2000	Yellow	1	SCA-SCA	2	-	-	-	-	2	
Patchcable 1xG657A2 SC/APC-SC/APC HTSR3950127/20M	Yellow	1	SCA-SCA	2	-	-	-	-	20	
Patchcable 1xG657A2 SC/APC-SC/APC HTSR3950127/3000	Yellow	1	SCA-SCA	2	-	-	-	-	3	
Patchcable 1xG657A2 SC/APC-SC/APC HTSR3950127/5000	Yellow	1	SCA-SCA	2	-	-	-	-	5	
Patchcable 1xG657A2 FC/APC-SC/APC HTSR3950131/2000	Yellow	1	FCA-SCA	2	-	-	-	-	2	
Patchcable 1xG657A2 SC/APC-SC/UPC HTSR3950137/2000	Yellow	1	SCA-SC	2	-	-	-	-	2	
Patchcable 1xG657A2 SC/APC-SC/UPC HTSR3950137/5000	Yellow	1	SCA-SC	2	-	-	-	-	5	
Patchcable 1xG657A2 SC/APC-LC/UPC HTSR3950140/1000	Yellow	1	SCA-LC	2	-	-	-	-	1	
Patchcable 1xG657A2 SC/APC-LC/UPC HTSR3950140/2000	Yellow	1	SCA-LC	2	-	-	-	-	2	
Patchcable 1xG657A2 SC/APC-LC/UPC HTSR3950140/3000	Yellow	1	SCA-LC	2	-	-	-	-	3	
Patchcable 1xG657A2 SC/APC-LC/UPC HTSR3950140/5000	Yellow	1	SCA-LC	2	-	-	-	-	5	
Patchcable 1xG657A2 SC/UPC-LC/APC HTSR3950143/2000	Yellow	1	SC-LCA	2	-	-	-	-	2	
Patchcable 1xG657A2 SC/UPC-LC/APC HTSR3950143/3000	Yellow	1	SC-LCA	2	-	-	-	-	3	
Patchcable 1xG657A2 SC/APC-LC/APC HTSR3950144/2000	Yellow	1	SCA-LCA	2	-	-	-	-	2	
Patchcable 1xG657A2 SC/APC-LC/APC HTSR3950144/3000	Yellow	1	SCA-LCA	2	-	-	-	-	3	
Patchcable 1xG657A2LC/APCHD-LC/APCHD HTSR3950148/1000	-	1	-	2	-	-	-	-	-	
Patchcable 1xG657A2LC/APCHD-LC/APCHD HTSR3950148/10M	-	1	-	2	-	-	-	-	-	
Patchcable 1xG657A2LC/APCHD-LC/APCHD HTSR3950148/15M	-	1	-	2	-	-	-	-	-	
Patchcable 1xG657A2LC/APCHD-LC/APCHD HTSR3950148/2000	-	1	-	2	-	-	-	-	-	
Patchcable 1xG657A2LC/APCHD-LC/APCHD HTSR3950148/3000	-	1	-	2	-	-	-	-	-	
Patchcable 1xG657A2LC/APCHD-LC/APCHD HTSR3950148/5000	-	1	-	2	-	-	-	-	-	
Patchcable 1xG657A2LC/APCHD-LC/APCHD HTSR3950148/7000	-	1	-	2	-	-	-	-	-	
Patchcable 1xG657A2LC/APCHD-SC/APC HTSR3950197/10M	-	1	-	2	-	-	-	-	-	
Patchcable 1xG657A2LC/APCHD-SC/APC HTSR3950197/15M	-	1	-	2	-	-	-	-	-	

Article name	Color	No. of Fibers	Layout	Diameter Ø [mm]	Dimensions [in]	Weight [lbs/ft]	Weight [lbs]	Length [ft]
Patchcable 1xG657A2LC/APCHD-SC/APC HTSR3950197/3000	-	1	-	2	-	-	-	-
Patchcable 1xG657A2LC/APCHD-SC/APC HTSR3950197/5000	-	1	-	2	-	-	-	-
Patchcable 1xG657A2LC/APCHD-SC/APC HTSR3950197/7000	-	1	-	2	-	-	-	-
Patchcable 2xG657A2LC/UPC-LC/UPC HTSR3950212/1000	Yellow	2	LC-LC	2	-	-	-	1
Patchcable 2xG657A2LC/UPC-LC/UPC HTSR3950212/10M	Yellow	2	LC-LC	2	-	-	-	10
Patchcable 2xG657A2LC/UPC-LC/UPC HTSR3950212/15M	Yellow	2	LC-LC	2	-	-	-	15
Patchcable 2xG657A2LC/UPC-LC/UPC HTSR3950212/2000	Yellow	2	LC-LC	2	-	-	-	2
Patchcable 2xG657A2LC/UPC-LC/UPC HTSR3950212/20M	Yellow	2	LC-LC	2	-	-	-	20
Patchcable 2xG657A2LC/UPC-LC/UPC HTSR3950212/3000	Yellow	2	LC-LC	2	-	-	-	30
Patchcable 2xG657A2LC/UPC-LC/UPC HTSR3950212/30M	Yellow	2	LC-LC	2	-	-	-	30
Patchcable 2xG657A2LC/UPC-LC/UPC HTSR3950212/35M	Yellow	2	LC-LC	2	-	-	-	35
Patchcable 2xG657A2LC/UPC-LC/UPC HTSR3950212/5000	Yellow	2	LC-LC	2	-	-	-	5
Patchcable 2xG657A2LCD/UPC-LCD/UPC HTSR3950213/1000	Yellow	2	LC-LC	2	-	-	-	1
Patchcable 2xG657A2LCD/UPC-LCD/UPC HTSR3950213/2000	Yellow	2	LC-LC	2	-	-	-	2
Patchcable 2xG657A2LCD/UPC-LCD/UPC HTSR3950213/3000	Yellow	2	LC-LC	2	-	-	-	3
Patchcable 2xG657A2LCD/UPC-LCD/UPC HTSR3950213/5000	Yellow	2	LC-LC	2	-	-	-	5
Patchcable 2xG657A2LC/UPC-SC/UPC HTSR3950215/1000	Yellow	2	LC-SC	2	-	-	-	1
Patchcable 2xG657A2LC/UPC-SC/UPC HTSR3950215/10M	Yellow	2	LC-SC	2	-	-	-	10
Patchcable 2xG657A2LC/UPC-SC/UPC HTSR3950215/15M	Yellow	2	LC-SC	2	-	-	-	15
Patchcable 2xG657A2LC/UPC-SC/UPC HTSR3950215/2000	Yellow	2	LC-SC	2	-	-	-	2
Patchcable 2xG657A2LC/UPC-SC/UPC HTSR3950215/20M	Yellow	2	LC-SC	2	-	-	-	20
Patchcable 2xG657A2LC/UPC-SC/UPC HTSR3950215/3000	Yellow	2	LC-SC	2	-	-	-	3
Patchcable 2xG657A2LC/UPC-SC/UPC HTSR3950215/5000	Yellow	2	LC-SC	2	-	-	-	5
Patchcable 2xG657A2LC/UPC-SC/UPC HTSR3950215/7000	Yellow	2	LC-SC	2	-	-	-	7

Article name	Color	No. of Fibers	Layout	Diameter Ø [mm]			Dimensions [in]	Weight [lbs/ft]	Weight [lbs]	Length [ft]
Patchcable 2xG657A2SC/UPC-SC/UPC HTSR3950224/1000	Yellow	2	SC-SC	2	-	-	-	-	1	
Patchcable 2xG657A2SC/UPC-SC/UPC HTSR3950224/10M	Yellow	2	SC-SC	2	-	-	-	-	10	
Patchcable 2xG657A2SC/UPC-SC/UPC HTSR3950224/2000	Yellow	2	SC-SC	2	-	-	-	-	2	
Patchcable 2xG657A2SC/UPC-SC/UPC HTSR3950224/3000	Yellow	2	SC-SC	2	-	-	-	-	3	
Patchcable 2xG657A2SC/UPC-SC/UPC HTSR3950224/5000	Yellow	2	SCA-SCA	2	-	-	-	-	5	
Patchcable 2xG657A2SC/APC-SC/APC HTSR3950227/1000	Yellow	2	SCA-SCA	2	-	-	-	-	1	
Patchcable 2xG657A2SC/APC-SC/APC HTSR3950227/10M	Yellow	2	SCA-SCA	2	-	-	-	-	10	
Patchcable 2xG657A2SC/APC-SC/APC HTSR3950227/2000	Yellow	2	SCA-SCA	2	-	-	-	-	2	
Patchcable 2xG657A2SC/APC-SC/APC HTSR3950227/3000	Yellow	2	SCA-SCA	2	-	-	-	-	3	
Patchcable 2xG657A2SC/APC-SC/APC HTSR3950227/5000	Yellow	2	SCA-SCA	2	-	-	-	-	5	
Patchcable 2xG657A2SC/UPC-LCD/UPC HTSR3950236/1000	Yellow	2	SC-LC	2	-	-	-	-	1	
Patchcable 2xG657A2SC/UPC-LCD/UPC HTSR3950236/10M	Yellow	2	SC-LC	2	-	-	-	-	10	
Patchcable 2xG657A2SC/UPC-LCD/UPC HTSR3950236/2000	Yellow	2	SC-LC	2	-	-	-	-	2	
Patchcable 2xG657A2SC/UPC-LCD/UPC HTSR3950236/3000	Yellow	2	SC-LC	2	-	-	-	-	3	
Patchcable 2xG657A2SC/UPC-LCD/UPC HTSR3950236/5000	Yellow	2	SC-LC	2	-	-	-	-	5	
Patchcable 2xG657A2SC/UPC-SC/APC HTSR3950237/2000	Yellow	2	SC-SCA	2	-	-	-	-	2	
Patchcable 2xG657A2SC/UPC-SC/APC HTSR3950237/5000	Yellow	2	SC-SCA	2	-	-	-	-	5	
Patchcable 2xG657A2SC/APC-LC/UPC HTSR3950240/1000	Yellow	2	SCA-LC	2	-	-	-	-	1	
Patchcable 2xG657A2SC/APC-LC/UPC HTSR3950240/10M	Yellow	2	SCA-LC	2	-	-	-	-	10	
Patchcable 2xG657A2SC/APC-LC/UPC HTSR3950240/2000	Yellow	2	SCA-LC	2	-	-	-	-	2	
Patchcable 2xG657A2SC/APC-LC/UPC HTSR3950240/3000	Yellow	2	SCA-LC	2	-	-	-	-	3	
Patchcable 2xG657A2SC/APC-LC/UPC HTSR3950240/5000	Yellow	2	SCA-LC	2	-	-	-	-	5	
Patchcable 2xG657A2SC/UPC-LC/APC HTSR3950243/10M	Yellow	2	SC-LC	2	-	-	-	-	10	
Patchcable 2xG657A2SC/APC-LC/APC HTSR3950244/10M	Yellow	2	SCA-LC	2	-	-	-	-	10	

Article name	Color	No. of Fibers	Layout	Diameter Ø [mm]	Dimensions [in]	Weight [lbs/ft]	Weight [lbs]	Length [ft]
Patchcable 2xG657A2 LCD/APCHD-LCD/APCHD HTSR3950245/1000	-	2	-	2	-	-	-	-
Patchcable 2xG657A2 LCD/APCHD-LCD/APCHD HTSR3950245/10M	-	2	-	2	-	-	-	-
Patchcable 2xG657A2 LCD/APCHD-LCD/APCHD HTSR3950245/15M	-	2	-	2	-	-	-	-
Patchcable 2xG657A2 LCD/APCHD-LCD/APCHD HTSR3950245/2000	-	2	-	2	-	-	-	-
Patchcable 2xG657A2 LCD/APCHD-LCD/APCHD HTSR3950245/3000	-	2	-	2	-	-	-	-
Patchcable 2xG657A2 LCD/APCHD-LCD/APCHD HTSR3950245/5000	-	2	-	2	-	-	-	-
Patchcable 2xG657A2 LCD/APCHD-LCD/APCHD HTSR3950245/7000	-	2	-	2	-	-	-	-