



Handheld Air Blown Fiber Blowing Machine

Fiber blowing machine for cable 0.8 - 3mm and ducts from 3 - 8mm

Features

- Battery operated motor
- Fiber security by mechanical clutch and adjustable clamping force
- Forward and reverse
- Drive wheel with rubber rings secure a good and soft grip
- Digital display showing speed and distance
- Max. speed: 150 m/min
- Max pushing force: 30N
- Speed control with constant speed support



Application

This blowing tool is used for the installation of Air Blown Fibers or Nanocables into Microducts. This tool allows for efficient installation of Hexatronic ABFU and Nanocables in the Hexatronic microduct system.

Design


Robust handheld battery powered fiber blowing tool optimized for FTTX installation of blown fiber (ABFU) and nano cables, from 0.8 to 3 mm into duct size 3, 5, 7 and 8 mm. The effective fiber security, and adjustable clamping force ensures that all cable designs can be installed effectively and safely. Delivered in strong transport case with batteries, charger and an assortment of cable seals. Ready to blow!

Product Information



The kit consists of the following standard items:

- TriggAIR machine
- 110/230 Charger for 12 V battery
- 2 pcs 12 V lithium battery with 4 Ah Milwaukee connector
- 10 pcs 1.2 mm cable seals
- 10 pcs 1.8 mm cable seals10 pcs 2.2 mm cable seals



- _ 10 pcs 2.8 mm cable seals
- Original Jetting Duct cutter
- User manual

Technical Information

Technical Notes Maximum Pressure: 16 Bar

Pushing Force: Up to 30 N
Cable Diameter: 0.8 to 3.0 mm

Duct Diameter: 3, 5, 7, 8 mm

Weight: Approx 2 kg

Air connection: Std 3/8" Cejn 320 Series

Dimensions: 460 x 370 x 180 mm (Transport box)



Articles 19

thereter of there's

	Danete	Formati
Article name	Q ₃₀	40,
Handheld Air Blown Fiber Blowing Machine JET-TRIGGAIR	_	_
Tripod with air attachment JET-17010	_	_
Reel arm kit for pre terminated mini drums JET-17011	_	_
Drive wheel u-groove TriggAIR(2-3mm smooth cables) JET-17015	_	_
Blank seal JET-KTD0-7	7mm OD	Pack of 10
Cable seal 1.0 mm JET-KT1.0-7	7mm OD	Pack of 10
Cable seal 1.2 mm JET-KT1.2-7	7mm OD	Pack of 10
Cable seal 1.5 mm JET-KT1.5-7	7mm OD	Pack of 10
Cable seal 1.8 mm JET-KT1.8-7	7mm OD	Pack of 10
Cable seal 2.0 mm JET-KT2.0-7	7mm OD	Pack of 10
Cable seal 2.2 mm JET-KT2.2-7	7mm OD	Pack of 10
Cable seal 2.4 mm JET-KT2.4-7	7mm OD	Pack of 10
Cable seal 2.6 mm JET-KT2.6-7	7mm OD	Pack of 10
Cable seal 2.8 mm JET-KT2.8-7	7mm OD	Pack of 10
Air hose 3/8" Cejn-Cejn 320 Series 10 m 15 bar JET-118	_	_
Cable drum rack 1 pc 1200 mm foldable JET-18000	_	_
Reel arm spacer kit JET-17013	_	_
3 mm Duct adaptor for Trigg AIR JET-17017	_	_
Set of O-rings for TriggAIR (Drive wheel) JET-34039	_	_