



## LightMate Patch and Splice Panel for Micro duct

ODF complete with interior for splicing blow and micro fibre cable.

---

### Features

- Up to 48 SC or 96 LC connections
- Sliding drawer allows internal access
- Splice holders and guide for single fibers
- Duct holder for up to 48pcs x 5mm, 28pcs x 7mm and 100pcs x 3mm .

## Application

- Optical Networks
- CATV Networks
- Enterprise
- Data Networks
- Customer Premise Deployment
- FTTx

## Design

- Countersunk front
- Sheet metal with stainless steel front
- Coral white powder coating

## Product Information

Customer design available upon request

## Technical Information

<b>Product Color</b>	Coral white
<b>Ordering Information</b>	LM-5274/101 and LM-5826/101 includes duct holder for 3, 5 and 7mm

Articles 5

Article name	Color	No. of Fibers	Layout	Dimensions [mm]
<b>LightMate ODF 24xSCD for blow fiber or micro cable incl holder 3+5+7mm 1U</b> LM-5274/101R4A	Coral White	48	SC Duplex	483 W x 44 H x 280 D
<b>Optical Distribution Frame Microducts/Microcable 24xLC Quad 1U</b> LM-5826/101R2A	Coral White	96	LC QUAD	483 W x 44 H x 280 D
{"en":"","en-US":"","en-UK":"","sv":"","LightMate ODF 48xSCD för blåfiber/mikrokabel Kam 3+5+7mm 2U","no":"","fi":"","de":"","en-AU":"","en-NZ":""} LM-5475/101R2A	-	-	-	-
<b>Ductholder 3mm</b> LM-5237/33	-	-	-	-
<b>Ductholder 7mm 2U (LM-5475/101)</b> LM-5237/77	-	-	7mm Ductholder 7mm 2U (LM-5475/1- mm6475 Ductholder 7mm 2U (LM-5475/1	-