



Mounting Frame System

19", 48U

Features

- 19" frame system
- Metal frame, wall mounted
- Capacity: 48 U

Application

Hexatronic's mounting rack system is designed to facilitate the installation of cables, optical, electronic equipment and components in central offices and other cross connection locations. The system's most outstanding feature is the flexibility of its design, since equipment and components can be easily added, changed or repositioned on the rack as needed.

The system consists of a wall-mounted rack that is supplemented with mounting sets and brackets.

The rack can be equipped with a number of different mounting sets, racks and brackets, blocks with screws and connections, ODF equipment's.

Design

The mounting rack is designed in accordance with Swedish Electrotechnical Standard SEN R 430 115 for 19" racks, in the centers of the vertical bars are spacing 465 mm apart. All parts for horizontal mounting have oval slots allowing a reduction of the distance between bars to 450 mm on upright bars, which have standard height of 2200 mm. All standard parts are zink-plated and chromed for corrosion protection.

Product Information

Design: 19" frame

Size: 500x2200x240 mm

Capacity, equipment: 48 U

Technical Information

Tilaustiedot

All parts in the mounting rack system can be ordered in complete sets or separately, depending on your requirements.

Articles 12

Article name	Paino [kg]
Mounting frame NBF11003	6.8
Vertical bars N-675073	1.67
Cable support N-675074	0.26
Wire guide N-675075	0.05
Top and bottom fasteners N-675076	0.34
Mounting frame NBH10201	0.59
Mounting set NBH10202	0.92
Mounting bar NBH10401	0.16
Mounting set NBH10402	0.67
Fastener 240mm NSD60101	0.32
Fastener 500 mm NSD60102	0.61
Wire guide NSG20701	0.15