

Duct Branch Closure – High Capacity

Divisible Closure, for 1-12 Branches

Features

- High capacity duct branch closure
- For tight protected ducts
- Up to 12 single duct branches
- Multiple configuration options



Application

The divisible branch closure is intended for fast and easy branching of direct buried tight protected microductucts.

The watertight box is sealed by a simple "cold" method requiring a minimum of tools.

It consists of two tube halves that seals towards one duct entrance rubber disc in each end. Each disc has a number of differently sized entrance holes (see table below) allowing a large number of possible joint combinations.

Design

It consists of two tube halves that seals towards one duct entrance rubber disc in each end. Each disc has a number of differently sized entrance holes allowing a large number of possible joint combinations.

Technical Details

	PORT SIZE	Ø12.2 mm	Ø19.3 мм	Ø 22.2 mm	Ø28.8 мм	Ø32.1 мм	Ø 38 мм
	Qty	6	1	1	1	1	1
	Used for	1-micro duct	4-multi duct	7-multi duct	12-multi duct	19-multi duct	24-multi duct
451 100 / 1 M			7 1100 000	7 Hote out	at many docu	13 1100 000	
451 100 / 1 M	odular 12 Configu		NA NA	NA NA	Ø 28.8 mm	NA NA	Ø 38 mm
451 100 / 1 M	odular 12 Configu	uration					
151 100 / 1 M	odular 12 Configu	uration					

Configuration Chart



Articles 3

Article name	colo	n eid	it kal
Multidukts Skarv Box NDE451100	Black	2.535	380
Multidukts Skarv Box NDE451100/1	Black	2	380
JOINT f MULTIDUCTS w steel frame NDE451100/2	_	3	_