



Cable and Duct Seals

Entry Seal Plugs for Cable

Features

- Water- and air tight
- Seals all types of ducts or raceways
- Simple installation around installed cables
- Retrofit
- Versions for all common cables and ducts

Application

The entry seal duct plug prevent the incursion of water and dirt into ducts and raceway systems. It also effectively blocks potentially dangerous vapors. The split design allows these to be installed after cable installation into the pipe.

Design

Body: POM

Sealing: Silica rubber

Technical Information

| | |
|-----------------------------|---|
| Product Color | Black/White |
| Conformance | IEC 60068-2-17 |
| Ordering Information | <p>The layout of each article is presented in the following format: OD/ID/CD, where,</p> <ul style="list-style-type: none">OD: Typical duct outer diameter of ductID: Duct inner diameter span (min-max)CD: Cable diameter span (min-max) <p>All measures in mm.</p> |

Articles 10

| Article name | Color | Layout | Weight [kg] |
|---|--------------|---------------------------|-------------|
| Cable Seal 25/18.8-20.3/5.1-8.9 NDM11030/01 | Black/ White | 25/ 18.8-20.3/ 5.1-8.9 | 0.01 |
| Cable Seal 25/18.8-20.3/6.9-8.9 NDM11030/02 | Black/ White | 25/ 18.8-20.3/ 6.9-8.9 | 0.01 |
| Cable Seal 25/19.8-21/8-12.7 NDM11030/03 | Black/ White | 25/ 19.8-21/ 8- 12.7 | 0.01 |
| Cable Seal 32/25.4-29/5-9 NDM11030/04 | Black/ White | 32/ 25.4-29/ 5-9 | 0.04 |
| Cable Seal 32/23.4-25.9/9-15 NDM11030/05 | Black/ White | 32/ 23.4-25.9/ 9-15 | 0.04 |
| Cable Seal 40/31-34.5/5-9 NDM11030/06 | Black/ White | 40/ 31-34.5/ 5-9 | 0.06 |
| Cable Seal 40/31- 34.5/9-15 NDM11030/07 | Black/ White | 40/ 31- 34.5/ 9- 15 | 0.06 |
| Cable Seal 40/31-34.5/14-18 NDM11030/08 | Black/ White | 40/ 31-34.5/ 14- 18 | 0.06 |
| Cable Seal 50/37.1-41.9/9-15 NDM11030/09 | Black/ White | 50/ 37.1-41.9/ 9-15 | 0.1 |
| Cable Seal 50/37.1-41.9/13-18 NDM11030/10 | Black/ White | 50/ 37.1-41.9/ 13-18 | 0.1 |