



Cable and Duct Seals

Seals for Ducts with Installed Cable

Features

- Water- and air tight
- Seals all types of ducts or raceways
- Simple installation around installed cables
- Retrofit
- Versions for all common cables and ducts

Application

The entry seal duct plug prevent the incursion of water and dirt into ducts and raceway systems. It also effectively blocks potentially dangerous vapors. The split design allows these to be installed after cable installation into the pipe.

Design

Body: POM

Sealing: Silica rubber

Technical Information

Tuotteen väri

Black/White

Vaatimustenmukaisuus

IEC 60068-2-17

Tilaustiedot

The layout of each article is presented in the following format: OD/ID/CD, where,

OD: Typical duct outer diameter of duct

ID: Duct inner diameter span (min-max)

CD: Cable diameter span (min-max)

All measures in mm.

Articles 10

Article name	Väri	Asettelu	Paino [kg]
Cable Seal 25/18.8-20.3/5.1-8.11 NDM11030/01	Black/ White	25/ 18.8-20.3/ 5.1-8.9	0.01
Cable Seal 25/18.8-20.3/6.9-8.11 NDM11030/02	Black/ White	25/ 18.8-20.3/ 6.9-8.9	0.01
Cable Seal 25/19.8-21/8-12.9 NDM11030/03	Black/ White	25/ 19.8-21/ 8- 12.7	0.01
Cable Seal 32/25.4-29/5-11 NDM11030/04	Black/ White	32/ 25.4-29/ 5-9	0.04
Cable Seal 32/23.4-25.9/9-15 NDM11030/05	Black/ White	32/ 23.4-25.9/ 9-15	0.04
Cable Seal 40/31-34.5/5-11 NDM11030/06	Black/ White	40/ 31-34.5/ 5-9	0.06
Cable Seal 40/31- 34.5/9-17 NDM11030/07	Black/ White	40/ 31- 34.5/ 9- 15	0.06
Cable Seal 40/31-34.5/14-20 NDM11030/08	Black/ White	40/ 31-34.5/ 14- 18	0.06
Cable Seal 50/37.1-41.9/9-17 NDM11030/09	Black/ White	50/ 37.1-41.9/ 9-15	0.1
Cable Seal 50/37.1-41.9/13-20 NDM11030/10	Black/ White	50/ 37.1-41.9/ 13-18	0.1