



Divisible Connectors for Microducts

For gas- and watertight connection of microducts with installed cables

Features

- Gas-tight and watertight up to 0.5 bar
- Suitable for splicing of ducts with cable (not for blow trough)
- Suitable for duct repair with installed cable
- Hinge enables quick and easy installation

Application

For pressure-tight connection of microducts. Due to the divisibility, installation can be carried out on both empty and occupied pipes. The variants can be distinguished from the outside when closed (see installation instructions supplied). The divisible connector comes in versions with gas- and water-blocking in the longitudinal direction around a cable or without the longitudinal blocking.

Design

Divisible connector for gas- and watertight connection of microducts fitted with cables, e.g. for repairs. The gas-stop versions are available with additional sealing around the cable, tightness against gas and water up to 0.5 bar (not suitable for blowing in). The sealing elements are available for duct dimensions from 7 mm to 14 mm and cable outer diameters from 0.8 mm to 8.5 mm.

Product Information

Materials:

- Housing: PPO
- Sealing sleeve: TPE-s

Technical Information

Product Color	Black body, blue clamp
IP Rating	IP68, 5 m
Ordering Information	10 pcs/pack

Articles 30

Article name	Color	Layout	Form of Delivery
Divisible Connector 7 / 0,8 - 2,5 NPA40502/7-1	black	7 / 0,8 - 2,5	10 pcs/ pack
Divisible Connector 7 / 2,0 - 4,0 NPA40502/7-2	black	7 / 2,0 - 4,0	10 pcs/ pack
Divisible Connector 10 / 1,8 - 3,5 NPA40502/10-1	black	10 / 1,8 - 3,5	10 pcs/ pack
Divisible Connector 10 / 3,0 - 5,0 NPA40502/10-2	black	10 / 3,0 - 5,0	10 pcs/ pack
Divisible Connector 10 / 4,5 - 6,0 NPA40502/10-3	black	10 / 4,5 - 6,0	10 pcs/ pack
Divisible Connector 12 / 3,0 - 5,0 NPA40502/12-1	black	12 / 3,0 - 5,0	10 pcs/ pack
Divisible Connector 12 / 5,0 - 6,5 NPA40502/12-2	black	12 / 5,0 - 6,5	10 pcs/ pack
Divisible Connector 12 / 6,5 - 8,0 NPA40502/12-3	black	12 / 6,5 - 8,0	10 pcs/ pack
Divisible Connector 14 / 3,0 - 5,0 NPA40502/14-1	black	14 / 3,0 - 5,0	10 pcs/ pack
Divisible Connector 14 / 5,0 - 6,5 NPA40502/14-2	black	14 / 5,0 - 6,5	10 pcs/ pack
Divisible Connector 14 / 6,5 - 8,5 NPA40502/14-3	black	14 / 6,5 - 8,5	10 pcs/ pack
Divisible Connector without Gas-Stop 7 NPA40602/7	black	7	10 pcs/ pack
Divisible Connector without Gas-Stop 10 NPA40602/10	black	10	10 pcs/ pack
Divisible Connector without Gas-Stop 12 NPA40602/12	black	12	10 pcs/ pack
Divisible Connector without Gas-Stop 14 NPA40602/14	black	14	10 pcs/ pack
Divisible connector - Inhouse 7 / 0,8-2,5 NPA40504/7-1	white	7 / 0,8-2,5	10 pcs/ pack
Divisible connector - Inhouse 7 / 2,0-4,0 NPA40504/7-2	white	7 / 2,0-4,0	10 pcs/ pack
Divisible connector - Inhouse 10 / 1,8-3,5 NPA40504/10-1	white	10 / 1,8-3,5	10 pcs/ pack
Divisible connector - Inhouse 10 / 3,0-5,0 NPA40504/10-2	white	10 / 3,0-5,0	10 pcs/ pack
Divisible connector - Inhouse 10 / 4,5-6,0 NPA40504/10-3	white	10 / 4,5-6,0	10 pcs/ pack
Divisible connector - Inhouse 12 / 3,0-5,0 NPA40504/12-1	white	12 / 3,0-5,0	10 pcs/ pack
Divisible connector - Inhouse 12 / 5,0-6,5 NPA40504/12-2	white	12 / 5,0-6,5	10 pcs/ pack
Divisible connector - Inhouse 12 / 6,5-8,0 NPA40504/12-3	white	12 / 6,5-8,0	10 pcs/ pack

Article name	Color	Layout	Form of Delivery
Divisible connector - Inhouse 14 / 3,0-5,0 NPA40504/14-1	white	14 / 3,0-5,0	10 pcs/ pack
Divisible connector - Inhouse 14 / 5,0-6,5 NPA40504/14-2	white	14 / 5,0-6,5	10 pcs/ pack
Divisible connector - Inhouse 14 / 6,5-8,0 NPA40504/14-3	white	14 / 6,5-8,0	10 pcs/ pack
Divisible connector - without gas stop - Inhouse 7 NPA40604/7	white	7	10 pcs/ pack
Divisible connector - without gas stop - Inhouse 10 NPA40604/10	white	10	10 pcs/ pack
Divisible connector - without gas stop - Inhouse 12 NPA40604/12	white	12	10 pcs/ pack
Divisible connector - without gas stop - Inhouse 14 NPA40604/14	white	14	10 pcs/ pack