



Fiber Optic Connector

For Fiber Optic Termination

Features

- High quality fiber optic adaptors
- Large selection of versions
- SC, SC/APC, LC, LC/APC, MU, ST, FC
- Simplex, duplex or quad versions
- With- or without safety shutters
- Slim or flange mounted type

Application

Fiber optic adapters for Optical Distribution Frames, closures, wall outlets and other termination units, all of premium grade for lowest connector loss.

Design

Simplex, duplex and quadruplex connector options. Adapters with shutters provide a safe mechanism for protecting laser radiation from harming eyes.

Adapters with flanges enables secure mounting with screws. Th flangeless versions allows higher packaging density.

Product Information

RNT 992 10/12, RNT 992 10/13, RNT 992 10/22, RNT 992 10/23 RNT 992 11/12, RNT 992 11/13, RNT 992 11/22 and RNT 992 11/23 >90° Glass transition temperature of the latches.

Similar versions with standard operating temperature is called HRNT

Technical Information

Temperature, Operation [°F]	-40°/+70°
Temperature, Storage [°F]	-40°/+70°

Articles 48

Article name	Color	Nb. of Fibers	Layout	Weight [lbs/ktf]	Weight [lbs]
Adapter FC D-Shape RNT99201/1	Metal	1	UPC	0.01	0.01
Adapter SC dx, no fl, Blue RNT99211/13	Blue	2	UPC	0.008	0.008
Adapter SC sx, no fl, Blue RNT99210/13	Blue	1	UPC	0.005	0.005
Adapter SC sx, fl, Blue RNT99210/12R1A	Blue	1	UPC	0.005	0.005
Adapter SC sx, shutter, no fl, Blue RNT99210/14	Blue	1	UPC	0.005	0.005
Adapter SC dx, fl, Blue RNT99211/12R1A	Blue	2	UPC	0.008	0.008
Adapter SCD,Blue,Metal RNT99211/11	Blue	2	UPC	0.01	0.01
Adapter SC/APC sx, no fl, Green RNT99210/23	Green	1	APC	0.005	0.005
Adapter SC/APC sx, fl, Green RNT99210/22R1A	Green	1	APC	0.005	0.005
Adapter SC/APC sx,shut,no fl,Green RNT99210/24R1A	Green	1	APC	0.005	0.005
Adapter SC/APC dx, no fl, Green RNT99211/23R1A	Green	2	APC	0.008	0.008
Adapter SC/APC dx, fl, Green RNT99211/22R1A	Green	2	APC	0.007	0.007
Adapter LC dx, no fl, Blue RNT99222/2	Blue	2	UPC	0.005	0.005
Adapter LC Duplex (SP) RNT99222/4	Blue	2	UPC	0.007	0.007
Adapter LC Duplex (LP) RNT99222/3	Blue	2	UPC	0.007	0.007
Adapter LC quad, no fl, Blue RNT99222/15	Blue	4	UPC	0.005	0.005
Adapter LC Quadruplex (LP) RNT99222/5	Blue	4	UPC	0.007	0.007
Adapter LC/APC dx, no fl, Green RNT99222/13	Green	2	APC	0.003	0.003
Adapter LC Duplex, Inner shutter, G RNT99222/12	Green	2	APC	0.003	0.003
Adapter LC Duplex, Inner shutter, B RNT99222/14	Blue	2	OM2	0.003	0.003
Adapter LC/APC quad, no fl, Green RNT99222/16	Green	4	APC	0.005	0.005
Adapter LC Quadruplex (LP), Green RNT99222/9	Green	4	APC	0.005	0.005
Adapter SC dx, fl, Beige RNT99215/11	Beige	2	OM2	0.01	0.01

Article name	Color	No. of Fibers	Layout	Weight [lbs/krft]	Weight [lbs]
Adapter SCD Beige Metallic WO FL RNT99215/13	Beige	2	OM2	0.01	0.01
Adapter LC Duplex (LP) Beige PBSLE RNT99222/10	Beige	2	OM2	0.005	0.005
Adapter LC Quadruplex(LP)Beige PBS RNT99222/11	Beige	4	OM2	0.005	0.005
Adapter MU, Duplex RNT99220/2	Blue	2	UFC	0.005	0.005
Adapter FC D-Shape, Ceramic (APC) RNT99201/2	Metal	1	APC	0.008	0.008
Adapter ST RNT99290/1	Metal	1	UFC	0.01	0.01
Adapter, SC/FC, Ceramic, Square Keyed RNT99212/12	Blue	1	UFC	0.005	0.005
ADAPTER MTRJ Duplex (SCD-shape, 12 s 12/RNT99281/3	Black	1	2x2	0.08	0.080
Adapter SC/APC sx green w flange HRNT99210/22	Green	1	APC	-	-
Adapter LC/PC quad violet (LP) w flange HRNT99222/46	Violet	4	OM4	-	-
Adapter SC/APC dx wo flange HRNT99211/23	Green	2	APC	-	-
Adapter LC/PC dx violet (LP) w flange HRNT99222/45	Violet	2	OM4	-	-
Adapter SC/APC dx w flange HRNT99211/22	Green	2	APC	-	-
Adapter LC/PC dx aqua (LP) w flange HRNT99222/44	Aqua	2	OM3	-	-
Adapter SC sx blue w flange HRNT99210/12	Blue	1	UFC	-	-
Adapter LC/PC quad beige (LP) wo flange HRNT99222/41	Beige	4	OM2	-	-
Adapter SC/PC Sx Beige w flange HRNT99210/24	Violet	2	OM4	-	-
Adapter SC/APC sx greenwo flange Utern HRNT99210/23	Green	1	APC	-	-
Adapter LC/PC quad aqua (LP) w flange HRNT99222/47	Aqua	4	OM3	-	-
Adapter SC dx wo flange HRNT99211/13	Blue	2	UFC	-	-
Adapter SC/PC dx Violet w flange HRNT99211/32	Aqua	2	OM3	-	-
MPO adapter Black SX no flange (SC-footprint) Opposed key HRNT99280/11	Black	24	APC	-	-
Adapter SC dx w flange HRNT99211/12	Blue	2	UFC	-	-
Adapter SC sx blue wo flange HRNT99210/13	Blue	1	UFC	-	-

Article name	Color	No. of Fibers Layout	Weight [lbs/krft]	Weight [lbs]	
Adapter SC/PC dx Aqua w flange HRNT99211/33	-	-	PCdx Aqua w flan-Aquaquadx Aqua w flan	-	-